

L Number	Hits	Search Text	DB	Time stamp
6	8725	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 12:46
7	85	725/\$.ccls. and (message adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:14
8	2613	server with (format or config\$6) with (select\$4 or choos\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:15
9	262	server with (format or config\$6) with (select\$4 or choos\$4) with messag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:25
10	1824	hendricks.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:25
11	27	hendricks.in. and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:59
12	5680	(master or central) adj (headend or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:37
13	3157	((master or central) adj (headend or server)) and messag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:38
14	1027	((((master or central) adj (headend or server)) and messag\$4) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:43
15	42	(((((master or central) adj (headend or server)) and messag\$4) and @ay<2000) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:43
16	50	725/33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:43
17	40	725/33.ccls. and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:43

18	2	("5559549").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 15:59
-	2	WO-9734410-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 09:05
-	2	("5872926").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 12:00
-	2	EP-825752-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 12:01
-	2	EP-788065-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/11 12:01
-	6812	(multimedia or media or video) adj3 (messag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 09:06
-	259	((multimedia or media or video) adj3 (messag\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:21
-	50	725/33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 11:38
-	103	multimedia adj3 messag\$4 adj3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:15
-	192	(multimedia\$2 or media\$2 or video) adj3 messag\$4 adj3 server\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 10:16
-	9	((multimedia\$2 or media\$2 or video) adj3 messag\$4 adj3 server\$2) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 11:38
-	16862	barker	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 11:37

-	197	barker and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 11:38
-	306	725/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:41
-	2	("5155591").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:41
-	259	((multimedia or media or video) adj3 (messag\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:21
-	6812	((multimedia or media or video) adj3 (messag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:48
-	960	((((multimedia or media or video) adj3 (messag\$4))) with (creat\$4 or form\$4 or build\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 10:17
-	426	(((((multimedia or media or video) adj3 (messag\$4))) with (creat\$4 or form\$4 or build\$4)) and (tv or television or cable or satellite or set\$1top))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:22
-	428	(((((multimedia or media or video) adj3 (messag\$4))) with (creat\$4 or form\$4 or build\$4)) and (tv or television or cable or satellite or set\$1top or (set adj top)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:45
-	37	(((((multimedia or media or video) adj3 (messag\$4))) with (creat\$4 or form\$4 or build\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:22
-	213	(((((multimedia or media or video) adj3 (messag\$4))) with (creat\$4 or form\$4 or build\$4)) and (tv or television or cable or satellite or set\$1top or (set adj top))) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:23
-	608	((multimedia or media or video) adj3 (messag\$4) with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:48
-	10956	application adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:49

-	60	((((multimedia or media or video) adj3 (messag\$4) with server)) and (application adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 15:49
-	345	725/32-33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 09:59
-	151	725/32-33.ccls. and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 10:10
-	35	(725/32-33.ccls. and @ay<2000) and messag\$4 and server\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 10:09
-	10438	messag\$4 adj2 server\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:08
-	15546	application adj2 server\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:08
-	2404	(messag\$4 adj2 server\$2) and (application adj2 server\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 10:09
-	49	((messag\$4 adj2 server\$2) and (application adj2 server\$2)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 10:10
-	18	((((messag\$4 adj2 server\$2) and (application adj2 server\$2)) and 725/\$.ccls.) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:42
-	18415	messag\$4 with (send\$4 or originat\$4) with (address\$4 or identif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:44
-	10583	(messag\$4 with (send\$4 or originat\$4) with (address\$4 or identif\$6)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:43
-	3797	messag\$4 with originat\$4 with (address\$4 or identif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:42

-	9782	messag\$4 with (send\$4 or originat\$4) with identif\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:42
-	5675	(messag\$4 with (send\$4 or originat\$4) with identif\$6) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:43
-	2496	(messag\$4 with originat\$4 with (address\$4 or identif\$6)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:55
-	1175	messag\$4 with (send\$4 or originat\$4) with (address\$4 or identif\$6) with (config\$6 or format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:44
-	588	(messag\$4 with (send\$4 or originat\$4) with (address\$4 or identif\$6) with (config\$6 or format\$4)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:08
-	3240	retriev\$4 adj3 (format\$4 or config\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:55
-	344	(retriev\$4 adj3 (format\$4 or config\$6)) with (database\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:55
-	66719	(messag\$4) with (creat\$4 or form\$6 or build\$4 or compil\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 11:55
-	149	((retriev\$4 adj3 (format\$4 or config\$6)) with (database\$2)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:07
-	5202	messag\$4 adj server\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:08
-	10963	application adj server\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:08
-	942	(application adj server\$2) and (messag\$4 adj server\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:08

-	370	((application adj server\$2) and (messag\$4 adj server\$2)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:09
-	31882	(format\$4 or config\$6) adj (database or memor\$4 or stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:09
-	48	((((application adj server\$2) and (messag\$4 adj server\$2)) and @ay<2000) and ((format\$4 or config\$6) adj (database or memor\$4 or stor\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 12:09
-	537	((multimedia adj messag\$4 adj server) or (MMS)) and (application adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 09:23
-	277	((((multimedia adj messag\$4 adj server) or (MMS)) and (application adj server)) and (messag\$4 with (creat\$4 or form\$4 or build\$4 or mak\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 09:23
-	64	(((((multimedia adj messag\$4 adj server) or (MMS)) and (application adj server)) and (messag\$4 with (creat\$4 or form\$4 or build\$4 or mak\$4)))) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:08
-	2	((multimedia adj messag\$4 adj server\$2)) and (application\$2 adj server\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:05
-	33894	messag\$4 with (config\$6 or format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:05
-	11035	(messag\$4 with (config\$6 or format\$4)) with (trans\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:07
-	2354	(messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:07
-	1191	(messag\$4 with (config\$6 or format\$4)) with (retriev\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:08
-	6469	((messag\$4 with (config\$6 or format\$4)) with (trans\$6)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:08

-	1408	((messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:08
-	614	((messag\$4 with (config\$6 or format\$4)) with (retriev\$4)) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:09
-	8719	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:09
-	103	((((messag\$4 with (config\$6 or format\$4)) with (trans\$6)) and @ay<2000) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:14
-	30	((((messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)) and @ay<2000) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:12
-	22	((((messag\$4 with (config\$6 or format\$4)) with (retriev\$4)) and @ay<2000) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:09
-	30	(((((messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)) and @ay<2000) and 725/\$.ccls.) not (((messag\$4 with (config\$6 or format\$4)) with (retriev\$4)) and @ay<2000) and 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:12
-	90	(((((messag\$4 with (config\$6 or format\$4)) with (trans\$6)) and @ay<2000) and 725/\$.ccls.) not (((messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)) and @ay<2000) and 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:14
-	83	(((((messag\$4 with (config\$6 or format\$4)) with (trans\$6)) and @ay<2000) and 725/\$.ccls.) not (((messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)) and @ay<2000) and 725/\$.ccls.) not (((messag\$4 with (config\$6 or format\$4)) with (retriev\$4)) and @ay<2000) and 725/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:14
-	288	lightfoot.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:52
-	8	lightfoot.in. and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:54
-	6	(lightfoot.in. and 725/\$.ccls.) and ((((((messag\$4 with (config\$6 or format\$4)) with (trans\$6)) and @ay<2000) and 725/\$.ccls.) not (((messag\$4 with (config\$6 or format\$4)) with (location\$2 or referenc\$4)) and @ay<2000) and 725/\$.ccls.) not (((messag\$4 with (config\$6 or format\$4)) with (retriev\$4)) and @ay<2000) and 725/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:56

-	2	5931905.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 10:56
-	8719	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:24
-	2826124	data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:33
-	684863	link or hyperlink	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:25
-	28591	(link or hyperlink) adj3 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:26
-	544	((link or hyperlink) adj3 data) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:27
-	292	((((link or hyperlink) adj3 data) and 725/\$.ccls.) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:45
-	192955	resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:33
-	3577949	reference or identif\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:44
-	5028	(reference or identif\$4) adj2 resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:34
-	110	((reference or identif\$4) adj2 resource) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:34
-	62	((((reference or identif\$4) adj2 resource) and 725/\$.ccls.) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:34

-	3710076	reference or location	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:44
-	111356	(reference or location) with (config\$6 or format\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:45
-	777	((reference or location) with (config\$6 or format\$4)) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:45
-	416	((((reference or location) with (config\$6 or format\$4)) and 725/\$.ccls.) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:52
-	403539	(receiv\$4) with (address or reference or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 11:52
-	8719	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 12:10
-	5443	725/\$.ccls. and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 12:20
-	2047	(725/\$.ccls. and @ay<2000) and ((receiv\$4) with (address or reference or location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 12:19
-	599	725/32-36.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:00
-	309089	(insert\$4 or transmit\$6) with (address or pointer or reference or location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 12:20
-	265	725/32-36.ccls. and ((insert\$4 or transmit\$6) with (address or pointer or reference or location))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 12:20
-	136	(725/32-36.ccls. and ((insert\$4 or transmit\$6) with (address or pointer or reference or location))) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:00

-	6	"multimedia message components"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 14:43
-	50	725/33.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:15
-	40	725/33.ccls. and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:15
-	306	725/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:15
-	119	725/32.ccls. and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:15
-	111	(725/32.ccls. and @ay<2000) not (725/33.ccls. and @ay<2000)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:15
-	46	((725/32.ccls. and @ay<2000) not (725/33.ccls. and @ay<2000)) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:16
-	28	((((725/32.ccls. and @ay<2000) not (725/33.ccls. and @ay<2000)) and server) and messag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:16